



CDF Operations Report

Sung-Won Lee
Texas A&M University

CDF Weekly Meeting

Jan 27, 2005

CDF Operations

Thursday, 1/20

- Lost Store 3929 about 14:40. and got controlled access:
 - Fixed CPR connection on SE arch
 - New diode boards for CES strip 64-95 on Wedge 17E
 - Fixed damaged cable connector on CHA 3L04E.
 - performed some low level maintenance on solenoid system.

Friday, 1/21

- Muon scint. PC has been restored, IFIX is again functioning.
- Tevatron lost the D1 Wet Engine, CDF controlled access:
 - CEM: one bad channel with zero pedestal, BMU: noise channel
 - Silicon: light output measurement
 - Installed new beam loss monitor counters near low beta quads.
 - Replace phototubes on several BSC.

Weekend, 1/22-23

- Really quite weekend due to N and H leaks in D1 refrigerator building
- Store 3939 lost due to a quench again

CDF Operations

Monday, 1/24

- Store 3943: Initial lum 64.37E30, but Tevatron quenched at 05:55 due to Tev E2 wet engine. 2 controlled accesses:
 - Silicon
 - West 4-5 CMX
 - CES:
 - West BMU diagnostic work
- The E2 cold compressor tripped at 17:20, and the TeV quenched
- One more controlled access at 17:45; Halo counter work

Tuesday, 1/25

- Store 3944: Initial lum 110E30
- Many problems at the beginning of the store
 - lost couple hours to problems with L3/EVB, b0ccal13
- After solving the problem, Mostly quiet stores with good DAQ efficiency
- High Luminosity Running without ISL crates
 - to study effect on high BUSY dead time problem.
- CPR HV trip, communication problem b/w the proxy process and RC.
- Found 2 new holes in TrigMon SVT occupancy; took Silicon out.

CDF Operations

Wednesday, 1/26

- Inherit store 3944
- Several "End of Store" tests are done!!
 - SVT test run for "long cluster cut"
 - Silicon D-mode calibration run
 - Trigger table tests and Pulsa tests
 - New EVB code test
 - Low luminosity running with ISL crates
 - Alpha board test run
 - New trigger table test: PHYSICS_HIGHLUM_3_00 [2,572,521]
- Beam lost at 14:46 with a quench at QFA4
- Silicon controlled access to fix a L00 crowbar fuse – but fuse was fine.
so we have two chips that no longer work. ...still investigating


Luminosity..

- | | | | | |
|-----------------|----------|------------|-----------|---------------|
| • Delivered | 7.5 | last week, | 68.9 | post shutdown |
| • Tape | 5.3(70%) | last week, | 52.8(77%) | post shutdown |
| • Good w/o Si | 4.8(63%) | last week, | 44.7(65%) | post shutdown |
| • GoodRun w/ Si | 4.5(60%) | last week, | 34.6(50%) | post shutdown |

CDF Operations

Thursday, 1/27

- Many problems during the shot setup (store 3948)
 - lost several hours to problems with CDF clock, DAQ, IFIX etc...
 - found one faulty “clock fan-out module” in CDF clock system, replaced it.
 - special thanks to S. Chappa, S. Hahn and all shift crew (evening/owl/Si)
- CDF clock was up and running at 02:10, started to take a data.
- The loss of the clock caused major problems for the muon triggers. (99% DT)
 - spent another couple hours to figure out the problem
 - special thanks to Cheng-Ju, E. James and Mitch Soderberg
- finally we got reasonable values of dead time (04:20)
- integrated Silicon in DAQ at 04:50
- dead time down to ~4% level (06:15)
- plug SMX calibration (b0ccal04 power-cycled)
- taking data now..



CDF Offline Status

Data Processing

- Currently, we are processing only stream-A,B,G data using **5.3.1 release ProductionExe**. After 6.1.0 release is ready, all the streams will be processed with the final calibrations.
- Data processing was delayed by more than 1 week at the beginning of this week **because of the delay of the beamline calibrations**. The delay was caused by the failure of "predator", and raw data files did not show up in the SAM database. **It's fixed now**.
- Raw data processing:
Last processed run (as of 1/27/2005, 9:00am): run 192505 (1/20/2005)
[there are no run to be processed from 1/21 - 1/23]
- Express production: up to run 192505 (1/20/2005)

Software Development

- 6.1.0pre3 release is now being built.
- This release is built for physics validation of v6 release.
- We will process W and Z samples (e and mu) and jet50 sample, and we would like to request physics experts to validate these samples.